

WHAT IS CLAIMED IS:

1. A method of displaying record data in a user interface comprising:

displaying a tabular portion of the user interface comprising plural data records;

displaying a form portion of the user interface comprising a display field that corresponds to a field of the plural data records;

determining whether to place a value in the display field; and

formatting a value in the display field to reflect characteristics of the data contained in the plural data records.

2. A method according to Claim 1, wherein formatting a value in the display field further comprises:

formatting a value for display using a first format when it is determined that the plural records share the same value;

formatting a value for display using a second format when it is determined that a portion of the plural records include a common value and a remaining portion of the plural records have no value;

formatting multiple values using a third format when it is determined that the plural records include multiple values; and

displaying a blank value when it is determined that none of the plural records include a value.

09643207 "082100

3. A method according to Claim 2,
wherein the first format is a color of black.

5 4. A method according to Claim 2,
wherein the second format is a color of blue.

5. A method according to Claim 2,
wherein the third format is a color of red.

10 6. A method according to Claim 2,
wherein "n" of the multiple values are displayed in
the display field.

15 7. A method according to Claim 6,
wherein "n" is the total number of multiple values.

8. A method according to Claim 6,
wherein "n" is less than the total number of
multiple values.

20 9. A computer-readable memory medium in
which computer-executable process steps are stored,
the process steps for displaying record data in a
user interface, wherein the process steps comprise:
25 a displaying step to display a tabular
portion of the user interface comprising plural data
records;

30 a displaying step to display a form
portion of the user interface comprising a display
field that corresponds to a field of the plural data
records;

09643207.082100

a determining step to determine whether to place a value in the display field; and

a formatting step to format a value in the display field to reflect characteristics of the data contained in the plural data records.

10. A computer-readable medium according to Claim 9, wherein formatting step to format a value in the display field further comprises:

a formatting step to format a value for display using a first format when it is determined that the plural records share the same value;

a formatting step to format a value for display using a second format when it is determined that a portion of the plural records include a common value and a remaining portion of the plural records have no value;

a formatting step to format multiple values using a third format when it is determined that the plural records include multiple values; and

a displaying step to display a blank value when it is determined that none of the plural records include a value.

11. A computer-readable medium according to Claim 10, wherein the first format is a color of black.

09643207.082100

12. A computer-readable medium according to Claim 10, wherein the second format is a color of blue.

5 13. A computer-readable medium according to Claim 10, wherein the third format is a color of red.

10 14. A computer-readable medium according to Claim 10, wherein "n" of the multiple values are displayed in the display field.

15 15. A computer-readable medium according to Claim 14, wherein "n" is the total number of multiple values.

20 16. A computer-readable medium according to Claim 14, wherein "n" is less than the total number of multiple values.

17. Computer-executable process steps stored on a computer-readable medium, the process steps for displaying record data in a user interface, wherein the process steps comprise:

25 code to display a tabular portion of the user interface comprising plural data records;

code to display a form portion of the user interface comprising a display field that corresponds to a field of the plural data records;

30 code to determine whether to place a value in the display field; and

09643207.082100

code to format a value in the display field to reflect characteristics of the data contained in the plural data records.

5 18. Computer-executable process steps according to Claim 17, wherein the code to format a value in the display field further comprises:

 code to format a value for display using a first format when it is determined that the plural records share the same value;

10

 code to format a value for display using a second format when it is determined that a portion of the plural records include a common value and a remaining portion of the plural records have no value;

15

 code to format multiple values using a third format when it is determined that the plural records include multiple values; and

 code to display a blank value when it is determined that none of the plural records include a value.

20

 19. Computer-executable process steps according to Claim 18, wherein the first format is a color of black.

25

 20. Computer-executable process steps according to Claim 18, wherein the second format is a color of blue.

30

001280 082100 09643207

21. Computer-executable process steps according to Claim 18, wherein the third format is a color of red.

5 22. Computer-executable process steps according to Claim 18, wherein "n" of the multiple values are displayed in the display field.

10 23. Computer-executable process steps according to Claim 22, wherein "n" is the total number of multiple values.

15 24. Computer-executable process steps according to Claim 22, wherein "n" is less than the total number of multiple values.

09643207.082100